

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A moisture curable composition produced by blending:
100 parts by weight of mixture (A) comprising:

(1) a copolymer having reactive silicon groups which can be cross-linked by hydrolysis,
whose molecular chain has:

(i) alkylacrylate and/or alkylmethacrylate monomeric units having an alkyl group
with 1 to 8 carbon atoms; and

(ii) alkylacrylate and/or alkylmethacrylate monomeric units having an alkyl group
with 10 or more carbon atoms; and

(2) an oxyalkylene polymer including reactive silicon groups which can be cross-linked
by hydrolysis; and

2 parts by weight to 300 parts by weight of polymethyl methacrylate powder (B) having a
grain diameter ranging from 0.01 μ m to 300 μ m, wherein said mixture (A) has a first refractive
index, and said polymethyl methacrylate powder (B) has a second refractive index, and wherein a
difference of the first refractive index and second refractive index is 0.1 or less.